

## Overview of the CJC-1295/Ipamorelin Peptide Therapy

### What It Is:

*This peptide blend combines:*

- **CJC-1295:** A synthetic analog of growth hormone-releasing hormone (GHRH) that promotes increased endogenous growth hormone secretion.
- **Ipamorelin:** A selective growth hormone secretagogue that stimulates the release of growth hormone with a minimal impact on cortisol and prolactin levels.

### Why It's Used:

*Together, these peptides are used to:*

- Enhance natural growth hormone production.
- Support muscle growth, fat loss, and improved recovery.
- It could potentially enhance the quality of sleep, energy levels, and overall well-being.

### Benefits of the CJC-1295/Ipamorelin Blend

#### **Enhanced Growth Hormone Secretion:**

Increases endogenous growth hormone levels, which can support improved muscle development and fat metabolism.

#### **Improved Recovery and Tissue Repair:**

Promotes healing of muscles and connective tissues, reducing recovery times after workouts or injuries.

#### **Body Composition Optimization:**

Helps in reducing body fat while promoting lean muscle mass, potentially leading to improved overall body composition.

#### **Potential Anti-Aging Effects:**

It may improve energy levels, skin health, and overall vitality due to the role of growth hormone in cellular repair.

### Dosing:

**Type:** GHRH (Growth Hormone Releasing Hormone) – 29 amino acid chain

**Dosing:** 10-20 units SQ, Monday-Friday

**Mixing bacteriostatic water:** 1ml into peptide vial

**Schedule:** 5 days on, 2 days off

**Amount per injection:** 10 units

## Overview of the CJC-1295/Ipamorelin Peptide Therapy

### Reconstitution: Mixing with Bacteriostatic Water

Proper reconstitution is critical to maintain stability and potency for peptide formulations provided as a lyophilized (powder) product.

### Purpose of Bacteriostatic Water:

It is used to safely reconstitute the powder because it contains a preservative to help keep the solution sterile.

### Step-by-Step Mixing Instructions:

#### Gather Supplies:

- CJC-1295/Ipamorelin vial (lyophilized powder)
- Bacteriostatic water vial
- A sterile syringe and needle
- Alcohol swabs

#### Prepare the Vials:

- Clean the tops of both vials with an alcohol swab.

#### Inject the Bacteriostatic Water:

- Draw the prescribed amount of bacteriostatic water into the syringe.
- Insert the needle into the peptide powder vial and inject the water slowly, directing the stream along the side of the vial to minimize foam formation.

#### Mix Gently:

- Gently swirl the vial to help dissolve the powder completely. Avoid shaking vigorously, as this can affect the integrity of the compound.

#### Ensure Complete Dissolution:

- Confirm that the powder has fully dissolved, and that the solution appears as expected. Check the manufacturer's instructions for any specifics.

#### Storage:

- Store the reconstituted solution according to guidelines—typically in a refrigerator—to maintain its potency.

## Overview of the CJC-1295/Ipamorelin Peptide Therapy

### Important Patient Details

#### Administration Methods:

- Typically administered via subcutaneous injection.
- Patients must receive proper training if they are self-administering injections.

#### Dosage and Schedule:

- Follow the precise dosing regimen prescribed by the healthcare provider.
- Consistency in dosing is key to achieving optimal results.

#### Potential Side Effects:

- Injection site reactions (e.g., redness, swelling, or discomfort)
- Possible mild systemic effects such as headache or transient water retention
- Report any severe or unusual symptoms to your healthcare provider promptly

#### Storage and Handling:

- To preserve peptide stability, adhere to storage instructions provided (usually refrigeration after reconstitution).
- Maintain strict hygiene during the reconstitution and injection process to prevent contamination.

#### Monitoring and Follow-Up:

- Patients should have regular follow-up appointments to monitor treatment efficacy and any adverse effects.
- Adjustments to the dosage or therapy may be made based on these evaluations by your provider only.
- We will utilize our comprehensive lab panel to track results.